

This listing of claims will replace all prior versions, and listings, of claims in the application:

The Status of the Claims

1. (Currently Amended) An apparatus comprising:
a floor mat;
a play gym to suspend an object above the mat;
at least one connector to couple the play gym to the mat; and
at least one fastener to couple the floor mat to at least one of a
play yard and a bassinet, the play gym being couplable to the at least one of
the play yard and the bassinet such that a lowest portion of the play gym is
spaced a distance above the floor mat.

2. (Original) An apparatus as defined in claim 1 wherein the
at least one connector couples the play gym to the mat when the mat is
removed from the play yard and the bassinet.

3. (Currently Amended) An apparatus comprising:
a floor mat;
a play gym to suspend an object above the floor mat;
at least one connector to secure the play gym to the floor mat,
the at least one connector comprising at least one non-pivoting connector
located within a perimeter of the floor mat and accessible from a top of the
floor mat; and

at least one fastener to couple the floor mat to at least one of a
play yard and a bassinet, as defined in claim 1 wherein the at least one
connector couples the play gym to the mat when the mat is located within at
least one of the play yard and the bassinet.

4. (Original) An apparatus as defined in claim 3 wherein the
at least one connector directly couples the play gym to the mat.

5. (Original) An apparatus as defined in claim 1 wherein the
at least one connector comprises a plurality of connectors, and the play gym
comprises:

a hub; and

at least two legs, each of the legs having a first end coupled to
the hub and a second end dimensioned to be removably coupled to a respective
one of the connectors.

6. (Currently Amended) An apparatus comprising:

a floor mat;

a play gym to suspend an object above the floor mat;

at least one connector to couple the play gym to the floor mat;

and

at least one fastener to couple the floor mat to at least one of a
play yard and a bassinet, wherein the at least one connector comprises a
plurality of connectors, and the play gym comprises:

a hub; and

at least two legs, each of the legs having a first end coupled to the hub and a second end dimensioned to be removably coupled to a respective one of the connectors, as defined in claim 5 wherein the at least two legs are pivotably coupled to the hub.

7. (Original) An apparatus as defined in claim 6 wherein the hub defines a first plurality of cavities and a second plurality of cavities, wherein each of the at least two legs is pivotable between a first position in which the first end is disposed within a respective one of the first cavities and a second position in which the first end is disposed within a respective one of the second cavities.

8. (Original) An apparatus as defined in claim 7 wherein the hub includes a plurality of pins and the first ends of the at least two legs define a slot to receive a respective one of the pins.

9. (Original) An apparatus as defined in claim 8 further comprising a plurality of springs positioned to respectively bias the at least two legs toward the hub.

10. (Original) An apparatus as defined in claim 9 wherein the springs bias corresponding ones of the at least two legs into at least one of: (a) one of the first cavities and (b) one of the second cavities.

11. (Original) An apparatus as defined in claim 9 wherein at least one of the at least two legs must be moved along its longitudinal axis and against a spring force of a corresponding one of the springs to pivot the at least one of the legs between the first and second positions.

12. (Original) An apparatus as defined in claim 5 wherein the at least two legs are flexible.

13. (Original) An apparatus as defined in claim 1 further comprising the at least one of the play yard and the bassinet, wherein at least one of the at least one of the play yard and the bassinet includes connectors to removably couple the play gym to the at least one of the play yard and the bassinet such that the play gym suspends the object above the at least one of the play yard and the bassinet.

14. (Original) An apparatus as defined in claim 13 wherein the connectors of the at least one of the play yard and the bassinet comprise pockets to receive ends of the play gym.

15. (Original) An apparatus as defined in claim 14 wherein the pockets comprise fabric pockets.

16. (Original) An apparatus as defined in claim 5 wherein at least one of the connectors defines a slot to receive the second end of a leg of

the play gym.

17. (Original) An apparatus as defined in claim 1 wherein the play gym comprises at least one leg defining an arch.

18. (Original) An apparatus as defined in claim 1 wherein the at least one connector is located in a top surface of the mat.

19. (Original) An apparatus as defined in claim 1 wherein the at least one connector is located within a perimeter of the mat and is not pivotably coupled to the mat.

20. (Cancelled)

21. (Previously Presented) An apparatus as defined in claim 23 wherein the mat comprises a padded board.

22. (Previously Presented) An apparatus as defined in claim 23 wherein the connectors are pivotably coupled to the mat.

23. (Previously Presented) An apparatus comprising:
a mat;
a plurality of connectors coupled to the mat to be moved between a first position within a perimeter of the mat and a second position outside the perimeter of the mat; and

a play gym to be removably coupled to the connectors to suspend an object above the mat wherein, when the connectors are placed in the first position, the mat is positionable within at least one of a play yard and a bassinet as a floor of the at least one of the play yard and the bassinet.

24. (Currently Amended) An apparatus comprising:

a floor mat of at least one of a play yard and a bassinet, the floor mat being dimensioned to substantially cover a floor of the at least one of the play yard and the bassinet and the floor mat being removable from the at least one of the play yard and the bassinet; and

a play gym dimensioned to be removably secured to the floor mat to suspend an object above the mat when the mat is removed from the at least one of the play yard and the bassinet, and to be secured to the at least one of the play yard and the bassinet a distance above the floor mat when the floor mat is located in the at least one of the play yard and the bassinet.

25. (Currently Amended) An apparatus comprising:

a play yard;

a bassinet dimensioned to be removably suspended within the play yard;

a floor mat dimensioned to be positioned in at least one of the play yard and the bassinet such that the floor mat substantially covers a floor of the at least one of the play yard and the bassinet; and

a play gym having a first mode in which the play gym suspends an object above at least one of the bassinet and the play yard, and a second

mode in which the play gym suspends the object above the mat but not above the at least one of the play yard and the bassinet, wherein, in the first mode, the play gym is secured to the at least one of the play yard and the bassinet a distance above the floor mat with the floor mat located in the at least one of the play yard and the bassinet.

26. (Previously Presented) An apparatus comprising:

at least one of a bassinet and a play yard, the at least one of the bassinet and the play yard having a removable floor mat; and

a play gym structured to suspend an object above the floor mat when the floor mat is positioned within at least one of the bassinet and the play yard and to suspend the object above the floor mat when the floor mat is not positioned within the at least one of the bassinet and the play gym, the play gym not contacting the floor mat when the floor mat is positioned in the at least one of the bassinet and the play yard.

27. (Cancelled)

28. (Cancelled)

29. (Cancelled)

30. (Previously Presented) An apparatus comprising:

a hub; and

at least two legs, each of the legs having a first end coupled to

the hub and a second end dimensioned to be removably coupled to: (a) at least one of a bassinet and a play yard, and (b) a floor mat separate from the bassinet and the play yard, wherein the hub defines a first plurality of cavities and a second plurality of cavities, wherein each of the at least two legs is pivotable between a first position in which the first end is disposed within a respective one of the first cavities and a second position in which the first end is disposed within a respective one of the second cavities.

31. (Original) An apparatus as defined in claim 30 wherein the hub includes a plurality of pins and the first ends of the at least two legs define a slot to receive a respective one of the pins.

32. (Original) An apparatus as defined in claim 31 further comprising a plurality of springs positioned to respectively bias the at least two legs toward the hub.

33. (Original) An apparatus as defined in claim 32 wherein the springs bias corresponding ones of the at least two legs into engagement with at least one of: (a) one of the first cavities and (b) one of the second cavities.

34. (Original) An apparatus as defined in claim 32 wherein at least one of the at least two legs must be moved along its longitudinal axis and against a spring force of a corresponding one of the springs to pivot the at least one of the legs between the first and second positions.

35. (Currently Amended) An apparatus comprising:

a hub; and

at least two legs, each of the legs having a first end coupled to the hub and a second end dimensioned to be removably coupled to: (a) at least one of a bassinet and a play yard, and (b) a floor mat of the at least one of the bassinet and the play yard when the floor mat is separate from the at least one of the bassinet and the play yard, wherein the at least two legs are flexible and are biased away from a center of the floor mat when the legs are coupled to the floor mat.

36. (Previously Presented) A method comprising:

securing a play gym at least partially above at least one of a bassinet and a play yard such that the play gym is not in contact with a floor mat of the at least one of the bassinet and the play yard;

removing the play gym from the at least one of the bassinet and the play yard;

removing the floor mat from the at least one of the play yard and the bassinet; and

securing the play gym to the floor mat apart from the play gym and the bassinet.

37. (Cancelled)

38. (Cancelled)

39. (Previously Presented) A method comprising:

securing a play gym at least partially above at least one of a
bassinet and a play yard;

removing the play gym from the at least one of the bassinet and
the play yard;

securing the play gym to a mat apart from the play gym and the
bassinet;

removing the play gym from the mat; and

collapsing the play gym, wherein collapsing the play gym
comprises:

pulling a leg of the play gym in a direction away from a hub; and
pivoting the leg into a stored position.

40. (Original) A method as defined in claim 39 wherein
pulling the leg of the play gym comprises pulling the leg of the play gym
against a spring force.

41. (Original) A method as defined in claim 39 further
comprising moving the leg of the play gym toward the hub to secure the leg in
the stored position.

42. (Original) A method as defined in claim 41 wherein
moving the leg toward the hub comprises moving the leg toward the hub under
the influence of a spring force.

43. (Cancelled)

44. (Cancelled)

45. (Cancelled)

46. (Previously Presented) An apparatus comprising:

a floor mat;

a play gym to suspend an object above the mat;

at least one first connector to couple the play gym to the mat;

and

at least one second connector to couple the play gym to at least one of a play yard and a bassinet without engaging the play gym and the mat.

47. (Original) An apparatus as defined in claim 7 wherein, when the at least two legs are in the second positions, the first ends are not disposed in the respective ones of the first cavities.

48. (Original) An apparatus as defined in claim 30 wherein, when the at least two legs are in the second positions, the first ends are not disposed in the respective ones of the first cavities.